




# Electric motors

# Catalog

Our portfolio begins with electric equipment from the earliest origins of electric propulsion and continues with brand new products adapted to the developing trends in the industry.

**RER** is a competent business partner that undertakes the production, re-engineering or retrofitting, of traction motors and other electric equipment. We develop custommade drive systems to enhance your vehicles with powerful facilities.



# Variety of implementations

Advantages of electric facilities produced by RER:

- 100% individual solutions
- Low operating costs
- ► High performance

**RER** offers integrated system solutions for high-quality facilities using commutators and asynchronous electric motors. Individual drive concepts are developed for each specific project to maximize its efficiency and performance.

#### 1TM.001 U1 (DC)

| Nominal power, kW      | 380  |
|------------------------|------|
| Nominal voltage, V     | 1500 |
| Nominal current, A     | 295  |
| Revolutions per minute | 620  |

#### 1TM.004.5 U2 (DC)

| Nominal power, kW      | 420  |
|------------------------|------|
| Nominal voltage, V     | 1500 |
| Nominal current, A     | 347  |
| Revolutions per minute | 592  |
| Revolutions per minute | 592  |

#### 1TM.004.1 U2 (DC)

| Nominal power, kW      | 440  |
|------------------------|------|
| Nominal voltage, V     | 1500 |
| Nominal current, A     | 347  |
| Revolutions per minute | 590  |



# Electric Drive for Progress towards the Future

Our work is backed by vast experience in the design of electric traction motors.


**RER** experts ensure excellent quality and longevity by running 100% of components through our internal testing facility.

#### 1DT.003.8 (DC)

| Nominal power, kW      | 240  |
|------------------------|------|
| Nominal voltage, V     | 750  |
| Nominal current, A     | 350  |
| Revolutions per minute | 1240 |

#### 1DT.003.11 (DC)

| Nominal power, kW      | 220 |
|------------------------|-----|
| Nominal voltage, V     | 825 |
| Nominal current, A     | 285 |
| Revolutions per minute | 870 |



Thanks to the features of individually designed electrical kits, the operation of facilities is controlled smoothly and at a high level of safety.

Continuous research, combined with reliable equipment and decades of experience, demonstrates that our customers receive both state-of-the-art and proven solutions.



# 1DT.17K U1 (DC)

| Nominal power, kW      | 250  |
|------------------------|------|
| Nominal voltage, V     | 1500 |
| Nominal current, A     | 184  |
| Revolutions per minute | 780  |

# 1DTA.001 U1 (AC)

| Nominal power, kW      | 480  |
|------------------------|------|
| Nominal voltage, V     | 2340 |
| Nominal current, A     | 141  |
| Revolutions per minute | 1100 |

# 1DTA.002.1 U1 (AC)

| Nominal power, kW      |
|------------------------|
| Nominal voltage, V     |
| Nominal current, A     |
| Revolutions per minute |
|                        |

300

2340

90


2363

# 5DTA.001 U2 (AC)

| Nominal power, kW      | 180  |
|------------------------|------|
| Nominal voltage, V     | 530  |
| Nominal current, A     | 242  |
| Revolutions per minute | 1480 |

# DTA.380 U1 (AC)

| Nominal power, kW      | 380  |
|------------------------|------|
| Nominal voltage, V     | 2200 |
| Nominal current, A     | 121  |
| Revolutions per minute | 2036 |




# DTA.170 U2 (AC)

| Nominal power, kW      | 170  |
|------------------------|------|
| Nominal voltage, V     | 530  |
| Nominal current, A     | 234  |
| Revolutions per minute | 1290 |

# TAD.350. 1-6 UHL2 (AC)

| Nominal power, kW      | 350 |
|------------------------|-----|
| Nominal voltage, V     | 660 |
| Nominal current, A     | 377 |
| Revolutions per minute | 600 |





### 1MGU.002 U1

| Nominal power, kW      | 180        |
|------------------------|------------|
| Nominal voltage, V     | 1x1800     |
| Nominal current, A     | 59         |
| Mass KG                | 1580       |
| Ins. class             | 220        |
| Maximal rotation speed | 4650 min-1 |
| Gear ratio             | 5,255      |

### 1MRB.001 U1

| Gear ratio                        | 6,59 |
|-----------------------------------|------|
| Maximum torque, Nm                | 2702 |
| Max. input shaft speed,RPM        | 4774 |
| Max. speed of rolling stock, km/h | 120  |



# Tram, trolleybus and electric bus motors

#### 4DTA.001 U1 (AC)

| Nominal power, kW      | 105   |
|------------------------|-------|
| Nominal voltage, V     | 430   |
| Nominal current, A     | 178.1 |
| Revolutions per minute | 1773  |

## 6DTA.002.1 U2 (AC)

| Nominal power, kW      | 180  |
|------------------------|------|
| Nominal voltage, V     | 420  |
| Nominal current, A     | 310  |
| Revolutions per minute | 1470 |



## 6DTA.002.2 U2 (AC)

| Nominal power, kW      | 180  |
|------------------------|------|
| Nominal voltage, V     | 370  |
| Nominal current, A     | 343  |
| Revolutions per minute | 1477 |

## 6DTA.001 U2 (AC)

| Nominal power, kW      | 125  |
|------------------------|------|
| Nominal voltage, V     | 370  |
| Nominal current, A     | 241  |
| Revolutions per minute | 1474 |



# Choose RER for quick and efficient custom services that cover your business needs.

We collaborate with both local companies in the Latvian market and international manufacturers to deliver profitable solutions that meet your unique requirements. Contact us to discuss your request for equipment today.

#### 2GV.13 U1 (AC)

| Nominal power, kW      | 180  |
|------------------------|------|
| Nominal voltage, V     | 420  |
| Nominal current, A     | 310  |
| Revolutions per minute | 1470 |

#### **7GST.002 UXL2 (AC)**

| Nominal power, kW      | 750  |
|------------------------|------|
| Nominal voltage, V     | 750  |
| Nominal current, A     | 343  |
| Revolutions per minute | 1900 |

Our customers' goals and objectives are our top priority. **RER** exerts its efforts to manufacture reliable high-quality products to meet any needs and expectations.

We strive to maintain long-term relations with our customers, supporting their business on the way to success.

